The Health Behaviors of South Dakotans 2006

A Report of the South Dakota Behavioral Risk Factor Surveillance System

South Dakota Department of Health 600 East Capitol Avenue Pierre, South Dakota 57501

In cooperation with the Centers for Disease Control and Prevention Atlanta, Georgia

December 2007

Copies of this report and its distribution were paid for by a grant from The Centers for Disease Control and Prevention

Preface

<u>The Health Behaviors of South Dakotans 2006</u> serves as a way to measure health risks of South Dakotans.

The information used to develop the report came from the Behavioral Risk Factor Surveillance System (BRFSS). The South Dakota Department of Health (SDDOH) initiates the BRFSS with the assistance of the Centers for Disease and Control and Prevention (CDC).

The survey consists of questions aimed at tracking and trending prevalence of health behaviors and conditions over time. The report also compares data from this survey to the *Healthy People* 2010 National Health Objectives as well as to the rest of the nation.

The BRFSS is the world's largest telephone survey. The survey is administered to households with individuals of 18 years or older.

The Office of Data, Statistics, and Vital Records edited and compiled data for this publication. This report contains as much information as practical from the survey.

Any questions regarding The Health Behaviors of South Dakotans 2006 should be addressed to:

Office of Data, Statistics, and Vital Records

600 East Capitol Avenue

Pierre, South Dakota 57501-2536

Phone: (605) 773-3361

Internet: http://doh.sd.gov/Statistics/

National web site: http://www.cdc.gov/brfss/

The following people were the main contributors to the development of this report:

Barb Buhler Public Information Officer

Mark Gildemaster Coordinator of South Dakota Behavioral Risk Factor Surveillance System

Kim Carlson Policy Analyst

Anthony Nelson Administrator of the Office of Data, Statistics, and Vital Records

Table of Contents

Preface	V
List of Tables	viii
List of Figures	xiv
Overview	3
Methodology	11
Health Behavior Topics	17
Overweight and Obesity	17
Physical Activity	28
Tobacco Use	38
Diabetes	52
Asthma	64
Breast and Cervical Cancer Screening	69
Prostate Cancer	83
Colorectal Cancer Screening	96
Diagnosed with Cancer	107
Alcohol Use	112
Health Insurance	127
Immunization	135
Oral Health	145
West Nile Virus	151
Seat Belt Use	156
Cardiovascular Disease	161
General Health Status	176
Disability	200
Falls	210
HIV/AIDS	214
Special Health Conditions in Children	219
Conclusion	
Appendix A: Demographics	
Appendix B: BRFSS Questionnaire	237

List of Tables

1.	Estimated Percentage and Number of Persons at Risk Due to Selected Factors (Ages 18 and Older Unless Otherwise Specified): South Dakota BRFSS, 2006
2.	Topics Covered on the South Dakota BRFSS, 1997-20066-7
3.	Disposition of All Telephone Numbers in the Sample, 2006
4.	Respondents Who Are Overweight or Obese, 2006
5.	Overweight or Obese for Selected Health Behaviors and Conditions, 2006
6.	Respondents Who Are Obese, 2006
7.	Obese Status for Selected Health Behaviors and Conditions, 2006
8.	Respondents Who Reported No Leisure Time Physical Activity, 2006
9.	No Leisure Time Physical Activity for Selected Health Behaviors and Conditions, 2006
10.	Respondents Who Have Heard of the "Healthy South Dakota" Program, 2006 34-35
11.	Respondents Who Have Heard of the "Healthy South Dakota" Program for Selected Health Behaviors and Conditions, 2006
12.	Respondents Who Currently Smoke Cigarettes, 2006
13.	Currently Smoke Cigarettes for Selected Health Behaviors and Conditions, 2006 41-42
14.	Respondents Who Tried to Stop Smoking, Within the Past 12 Months, for One Day or Longer Because They Were Trying to Quit Smoking, 2000-2006
15.	Percent of Current Cigarette Smoking by Type of Health Insurance, Ages 18-64, 2000-2006
16.	Opinion on Effects of Second Hand Smoke: Causes Lung Cancer, 2005 and 200644
16a.	Opinion on Effects of Second Hand Smoke: Causes Heart Disease, 2005 and 200645
16b.	Opinion on Effects of Second Hand Smoke: Causes Colon Cancer, 2005 and 200645
16c.	Opinion on Effects of Second Hand Smoke: Causes Health Problems in Children, 2005 and 2006
16d.	Opinion on Effects of Second Hand Smoke: Causes Sudden Infant Death Syndrome, 2005 and 2006

nokeless Tobacco, 2006	17.
or Selected Health Behaviors and Conditions, 2006 49-50	18.
Fold They Have Diabetes, 2006	19.]
d Health Behaviors and Conditions, 200655-56	20.
mbination or Insulin and Diabetes Pills, 2000-200657	21.
dents Check Their Blood for Glucose or Sugar,58	
dents Check Their Feet for Any Sores or Irritations,	
dents Saw a Doctor, Nurse, or Other Health Professional Past Year, 2000-2006	
dents Had Hemoglobin "A1c" Checked by Doctor, Nurse, nal in the Past Year, 2000-200659	
dents Had a Health Professional Check Their Feet for 000-2006	
ad an Eye Exam with Pupils Dilated, 2000-200660	27.
Diabetes, 2006	28.
Fold They Have Asthma, 200665	29.]
Health Behaviors and Conditions, 2006 66-68	30.
es 40 and Older, Who Have Not Had a Mammogram70-71	
o and Older, in the Past 2 Years for Selected Health, 2006	
O Have Not Had a Clinical Breast Exam in the Past 2	
in Past 2 Years for Selected Health Behaviors and	
Had Insufficient Cervical Cancer Screening, 2006 79-80	35.
eer Screening for Selected Health Behaviors and 81-82	

37.	Men Respondents, Ages 40 and Older, Who Have Not Had a PSA Test Within the Past 2 Years, 2006
38.	No PSA Test, Ages 40 and Older, Within the Past 2 Years for Selected Health Behaviors and Conditions, 2006
39.	Men Respondents, Ages 40 and Older, Who Have Not Had a Digital Rectal Exam Within the Past 2 Years, 2006
40.	No Digital Rectal Exam, Ages 40 and Older, Within the Past 2 Years for Selected Health Behaviors and Conditions, 2006
41.	Men Respondents, 40 and Older, Who Have Been Told They Had Prostate Cancer, 2006
42.	Diagnosed Prostate Cancer, 40 and Older, for Selected Health Behaviors and Conditions, 2006
43.	Respondents, Age 50 and Older, Who Have Not Had a Blood Stool Test Within the Past 2 Years, 2006
44.	No Blood Stool Test, Ages 50 and Older, Within the Past 2 Years for Selected Health Behaviors and Conditions, 2006
45.	Respondents, Age 50 and Older, Who Have Never Had a Sigmoidoscopy or Colonoscopy, 2006
46.	Never Had a Sigmoidoscopy or Colonoscopy, Ages 50 and Older, for Selected Health Behaviors and Conditions, 2006
47.	Respondents Who Have Been Diagnosed with Cancer, 2006108
48.	Diagnosed with Cancer for Selected Health Behaviors and Conditions, 2006 109-110
49.	Respondents Who Drank in Past 30 Days, 2006
50.	Drank in Past 30 Days for Selected Health Behaviors and Conditions, 2006 115-116
51.	Respondents Who Engage in Binge Drinking, 2006
52.	Binge Drinking for Selected Health Behaviors and Conditions, 2006 120-121
53.	Respondents Who Engage in Heavy Drinking, 2006
54.	Heavy Drinking for Selected Health Behaviors and Conditions, 2006
55.	Respondents, Ages 18-64, Who Do Not Have Health Insurance, 2006
56.	No Health Insurance, Ages 18-64, for Selected Health Behaviors and Conditions, 2006

57.	Type of Health Insurance, Ages 18-64, 2000-2006	131
58.	How Long Since Respondent Lasted Visited a Doctor for a Routine Checkup, 2002 and 2004-2006	131
59.	Children, Ages 0-17, Who Do Not Have Health Insurance, 2006	133
60.	Respondents' Children, Ages 17 and Under, Different Types of Health Covera 2000-2006	
61.	Child Without Health Care Coverage Due to Assorted Reasons, 2002-2006	134
62.	Respondents, Ages 65 and Older, Who Have Not Had a Flu Shot Within the Past 12 Months, 2006	136-137
63.	No Flu Shot, Ages 65 and Older, Within the Past 12 Months for Selected Healt Behaviors and Conditions, 2006	
64.	Respondents, Ages 65 and Older, Who Have Never Had a Pneumonia Shot, 2006	141
65.	No Pneumonia Shot, Ages 65 and Older, for Selected Health Behaviors and Conditions, 2006	142-144
66.	Respondents Who Have Not Visited a Dentist or Dental Clinic for Any Reason Within the Past Year, 2006	
67.	Not Visited Dentist or Dental Clinic for Any Reason Within Past Year for Selected Health Behaviors and Conditions, 2006	148-149
68.	Respondents Who Did Not Take Any Precautions Against West Nile Virus, 2006	152-153
69.	No Precautions Taken Against West Nile Virus for Selected Health Behaviors Conditions, 2006	
70.	Respondents Who Took Any Precautions This Past Summer to Protect Themse from Contracting West Nile Virus, 2004-2006	
71.	Precautions Taken to Avoid Contracting West Nile Virus, 2004-2006	155
72.	Respondents Who Stated Lack of Seat Belt Use, 2006	157-158
73.	Lack of Seat Belt Use for Selected Health Behaviors and Conditions, 2006	158-160
74.	Respondents Who Previously Had a Heart Attack, 2006	162-163
75.	Previously Had a Heart Attack for Selected Health Behaviors and Conditions, 2006	164-165

76.	Respondents Who Have Angina or Coronary Heart Disease, 2006	167-168
77.	Have Angina or Coronary Heart Disease for Selected Health Behaviors and Conditions, 2006	169-170
78.	Respondents Who Previously Had a Stroke, 2006	172
79.	Previously Had a Stroke for Selected Health Behaviors and Conditions, 2006	173-175
80.	Respondents Who Reported Fair or Poor Health Status, 2006	177-178
81.	Fair or Poor Health Status for Selected Health Behaviors and Conditions, 2006	179-180
82.	Respondents Who Reported Physical Health Not Good for 30 Days of the Past 30, 2006	182-183
83.	Physical Health Not Good for 30 Days of the Past 30 for Selected Health Behaviors and Conditions, 2006	183-185
84.	Respondents Who Reported Mental Health Not Good for 20-30 Days of the Past 30, 2006	187-188
85.	Mental Health Not Good for 20-30 Days of the Past 30 for Selected Health Behaviors and Conditions, 2006	188-190
86.	Respondents Who Reported Usual Activities Unattainable for 10-30 Days of the Past 30, 2006	192-193
87.	Usual Activities Unattainable for 10-30 Days of the Past 30 for Selected Health Behaviors and Conditions, 2006	193-195
88.	Respondents Who Are Dissatisfied with Life, 2006	197
89.	Respondents Dissatisfied with Life for Selected Health Behaviors and Conditions, 2006	198-199
90.	Respondents' Activities Limited Due to Physical, Mental, or Emotional Problems, 2006	201-202
91.	Activities Limited Due to Physical, Mental, or Emotional Problems for Selected Health Behaviors and Conditions, 2006	
92.	Respondents' Disability with Special Equipment Needed, 2006	206-207
93.	Disability with Special Equipment Needed for Selected Health Behaviors and Conditions, 2006	207-209
94.	Respondents, Ages 45 and Older, Who Were Injured in a Fall, 2006	211-212

95.	Injured in a Fall, Ages 45 and Older, for Selected Health Behaviors and Conditions, 2006	. 212-213
96.	Respondents, Ages 18-64, Who Have Never Been Tested for HIV, 2006	. 215-216
97.	Never Been Tested for HIV for Selected Health Behaviors and Conditions, 2006	216-218
98.	Children, Ages 0-17, Who Have Special Health Conditions, 2006	220
99.	Summary of South Dakota's Proportion of Adult Population at Risk, 1994-2006	223-225
100.	Summary of Healthy People 2010 National Health Objectives	. 226-227
101.	Demographics of Survey Respondents, 2006	231
102.	Surveys Completed by Resident County, 2006	232-233

List of Figures

1.	Percent of Respondents Who Are Overweight or Obese Based on Body Mass Index, 1993-2006
2.	Nationally, Respondents Who Are Overweight or Obese, 2006
3.	Percent of Respondents Who Are Obese Based on Body Mass Index, 1993-200623
4.	Nationally, Respondents Who Are Obese, 2006
5.	Percent of Respondents Who Reported No Leisure Time Physical Activity, 1987-1992, 1994-1996, 1998, and 2000-2006
6.	Nationally, Respondents Who Reported No Leisure Time Physical Activity, 200630
7.	Percent of Respondents Who Have Heard of "Healthy South Dakota" Program, 2005-2006
8.	Percent of Respondents Who Currently Smoke Cigarettes, 1987-200638
9.	Nationally, Respondents Who Currently Smoke Cigarettes, 2006
10.	Respondents Who Have Been Advised by a Doctor, Nurse, or Other Health Professional to Quit Smoking in the Past 12 Months, 2001, 2003, 2005, and 200643
11.	Respondent's Place of Work Official Smoking Policy for Work Areas, 2001, 2005, and 2006
12.	Percent of Respondents Who Use Smokeless Tobacco, 1987-1988, 1990, 1993-1996, 2001, 2003, and 2005-2006
13.	Percent of Respondents Advised to Quit Using Smokeless Tobacco by a Doctor, Nurse, or Other Health Professional, 2005 and 2006
14.	Percent of Respondents Who Were Told They Have Diabetes, 1988-200652
15.	Nationally, Respondents Who Were Told They Have Diabetes, 200654
16.	Respondents Who Are Taking Insulin, 2000-2006
17.	Respondents Who Are Now Taking Diabetes Pills, 2000-2006
18.	Respondents with Sores That Took More Than Four Weeks to Heal, 2000-200658
19.	Respondents Told That Diabetes Has Affected Eyes or They Have Retinopathy, 2000-2006
20.	Respondents Who Have Taken a Course or Class on How to Manage Their Diabetes, 2000-2006

22. Percent of Respondents Who Were Told They Have Asthma, 2000-2006	21.	Percent of Children, Ages 0-17, With Diabetes, 2005-2006	62
24. Percent of Women Respondents, Ages 40 and Older, Who Have Not Had a Mammogram in the Past 2 Years, 1990-2004 and 2006	22.	Percent of Respondents Who Were Told They Have Asthma, 2000-2006	64
Mammogram in the Past 2 Years, 1990-2004 and 2006	23.	Nationally, Respondents Who Were Told They Have Asthma, 2006	66
Mammogram in the Past 2 Years, 2006	24.		69
Past 2 Years, 2000-2004 and 2006	25.		71
1992-2004 and 2006	26.	<u> </u>	74
29. Percent of Men Respondents, Ages 40 and Older, Who Have Not Had a PSA Test within the Past 2 Years, 2001-2002, 2004, and 2006	27.	<u> </u>	78
within the Past 2 Years, 2001-2002, 2004, and 2006	28.		80
Within the Past 2 Years, 2006	29.		83
Rectal Exam Within the Past 2 Years, 1997, 2001-2002, 2004, and 2006	30.		85
Prostate Cancer, 2001-2002, 2004, and 2006	31.		88
Within the Past 2 Years, 1997, 1999, 2001-2002, 2004, and 2006	32.		92
Test Within the Past 2 Years, 2006	33.		96
or Colonoscopy, 1993, 1995, 1997, 1999, 2001-2002, 2004, and 2006	34.		98
 Sigmoidoscopy or Colonoscopy, 2006	35.		.101
Health Professional Ever Recommend That They be Tested for Colorectal or	36.		.103
Colon Cancer, 200610	37.	Health Professional Ever Recommend That They be Tested for Colorectal or	104

38.	Percent of Respondents Who Had the Colorectal Test Their Health Professional Recommended, 2006	106
39.	Respondents Who Sought or Plan to Seek Treatment of This Cancer, 2006	111
40.	Percent of Respondents Who Have an Advanced Directive, 2006	111
41.	Percent of Respondents Who Drank in Past 30 Days, 1995, 1997, 1999, and 2001-2006	112
42.	Nationally, Respondents Who Drank in Past 30 Days, 2006	114
43.	Percent of Respondents Who Engage in Binge Drinking, 1987-1993, 1995, 1997, 1999, and 2001-2006	117
44.	Nationally, Respondents Who Engage in Binge Drinking, 2006	119
45.	Percent of Respondents, Who Engage in Heavy Drinking, 1987-1993, 1995, 1997, 1999, and 2001-2006	122
46.	Nationally, Respondents Who Engage in Heavy Drinking, 2006	124
47.	Percent of Respondents, Ages 18-64, Who Do Not Have Health Insurance, 2000-2006	127
48.	Percent of Children Respondents, Ages 0-17, Who Do Not Have Health Insurance, 2000-2006	.132
49.	Length of Time Since Uninsured Child Visited Doctor for a Routine Checkup, 2002-2006	134
50.	Percent of Respondents, Ages 65 and Older, Who Have Not Had a Flu Shot Within the Past 12 Months, 1993-1995, 1997, and 1999-2006	135
51.	Nationally, Respondents, Ages 65 and Older, Who Have Not Had a Flu Shot Within the Past 12 Months, 2006	137
52.	Percent of Respondents, Ages 65 and Older, Who Have Never Had a Pneumonia Shot, 1993-1995, 1997, and 1999-2006	140
53.	Nationally, Respondents, Ages 65 and Older, Who Have Never Had a Pneumonia Shot, 2006	142
54.	Percent of Respondents Who Have Not Visited a Dentist or Dental Clinic for Any Reason Within the Past Year, 1996-1997, 1999, 2002, 2004, and 2006	145
55.	Nationally, Respondents Who Have Not Visited a Dentist or Dental Clinic for Any Reason Within the Past Year, 2006	147

36.	Respondents' Main Reason for Not Visiting the Dentist in the Last Year, 2004 and 2006
57.	Percent of Respondents Who Do Not Take Precautions against West Nile Virus, 2004-2006
58.	Percent of Respondents Who Stated Lack of Seat Belt Use, 1987-1997, 2001-2002, and 2006
59.	Percent of Respondents Who Previously Had a Heart Attack, 2000 and 2004-2006161
60.	Nationally, Respondents Who Previously Had a Heart Attack, 2006163
61.	Percent of Respondents Who Have Angina or Coronary Heart Disease, 2002 and 2004-2006
62.	Nationally, Respondents Who Have Angina or Coronary Heart Disease, 2006168
63.	Percent of Respondents Who Have Previously Had a Stroke, 2002 and 2004-2006171
64.	Nationally, Respondents Who Previously Had a Stroke, 2006
65.	Percent of Respondents Reporting Fair or Poor Health Status, 1993-2006176
66.	Nationally, Respondents Who Reported Fair or Poor Health Status, 2006178
67.	Percent of Respondents Reporting Physical Health Not Good for 30 Days of the Past 30, 2000-2001 and 2003-2006
68.	Average Number of Days Physical Health Not Good in the Past 30 Days, 2000-2006
69.	Percent of Respondents Reporting Mental Health Not Good for 20-30 Days of the Past 30, 2000-2001 and 2003-2006
70.	Average Number of Days Mental Health Not Good in the Past 30 Days, 2000-2006190
71.	Percent of Respondents Reporting Usual Activities Unattainable for 10-30 Days of the Past 30, 2000-2001 and 2003-2006
72.	Average Number of Days Where Poor Physical or Mental Health Kept Respondent From Doing Usual Activities, 2000-2006195
73.	Percent of Respondents Who are Dissatisfied with Life, 2005-2006196
74.	Percent of Respondents Whose Activities are Limited Due to Physical, Mental, or Emotional Problems, 2001 and 2003-2006
75.	Percent of Respondents Who Have a Disability with Special Equipment Needed, 2001 and 2003-2006

76.	Percent of Respondents, Ages 45 and Older, Who Were Injured in a Fall, 2003 and 2006	210
77.	Percent of Respondents, Ages 18-64, Who Have Never Been Tested for HIV, 1993-2006	214
78.	Percent of Children, Ages 0-17, Who Have Special Health Conditions, 2005 and 2006	219